

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/796,246	03/09/2004	Salman Akram	MIO 0069 VA/40509.245	2136
7:	590 10/11/2006		EXAMINER	
DINSMORE & SHOHL LLP			MITCHELL, JAMES M	
One Dayton Ce	entre			
Suite 500			ART UNIT	PAPER NUMBER
One South Main Street		2813		
Dayton, OH 4	15402-2023			
			DATE MAILED: 10/11/2006	5

Please find below and/or attached an Office communication concerning this application or proceeding.

		i /	
-	Application No.	Applicant(s)	
	10/796,246	AKRAM ET AL.	
Office Action Summary	Examiner	Art Unit	
	James M. Mitchell	2813	
The MAILING DATE of this communicat	ion appears on the cover sheet wi	th the correspondence address -	
Period for Reply	DEDLY IO OFT TO EVOIDE AM	ONT. ((0) OD T. ((0) DAY(0)	
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAIL  - Extensions of time may be available under the provisions of 31 after SIX (6) MONTHS from the mailing date of this communic  - If NO period for reply is specified above, the maximum statutor  - Failure to reply within the set or extended period for reply will, Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNIC 7 CFR 1.136(a). In no event, however, may a reation. ry period will apply and will expire SIX (6) MON by statute, cause the application to become AB	CATION.  Peply be timely filed  THS from the mailing date of this communication.  ANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed o	n <u>12 June 2006</u> .		
2a) This action is <b>FINAL</b> . 2b)	oxtimes This action is non-final.		
3) Since this application is in condition for	•	•	
closed in accordance with the practice u	under <i>Ex parte Quayle</i> , 1935 C.D	. 11, 453 O.G. 213.	
Disposition of Claims			
4) Claim(s) 2.8,16 and 23 is/are pending in	n the application.		
4a) Of the above claim(s) is/are w	vithdrawn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>2,8,16 and 23</u> is/are rejected.  7)□ Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction	and/or election requirement		
	rana, or orosion roquironion.		
Application Papers			
9) The specification is objected to by the Ex			
10) The drawing(s) filed on is/are: a) Applicant may not request that any objection	accepted or b) objected to t		
Replacement drawing sheet(s) including the		· ·	
11) The oath or declaration is objected to by			
Priority under 35 U.S.C. § 119			
<u> </u>	fancina animiku walee 05 H O O C	440/-> /-> /0	
12) Acknowledgment is made of a claim for the a) All b) Some * c) None of:	roreign priority under 35 U.S.C. §	119(a)-(d) or (f).	
1. Certified copies of the priority doc	uments have been received.		
2. Certified copies of the priority doc		oplication No	
3. Copies of the certified copies of the	ne priority documents have been	received in this National Stage	
application from the International	• • • • • • • • • • • • • • • • • • • •		
* See the attached detailed Office action fo	r a list of the certified copies not	eceived.	
Attachment(s)	)01 a_		
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-9)	4) Interview S	ummary (PTO-413) VMail Date	
Notice of Draitsperson's Patent Drawing Review (PTO-3)     Information Disclosure Statement(s) (PTO/SB/08)     Paper No(s)/Mail Date		formal Patent Application	

Art Unit: 2813

### **DETAILED ACTION**

1. This office action is in response to applicant's request for continued examination filed June 12, 2006.

### Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
   The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 2, 8, 16 and 23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is unclear as to the metes and bounds of the limitation "capacitor accommodated in a space defined by a thickness dimension of a topographic contact". As indicated in a prior office action a plane (x, y etc.) can be extended along any point/component in a package, such that it intersects applicant's contact<sup>1</sup>. The claim is ambiguous in that it could suggest that the capacitor is embedded in the contact. Appropriate correction to clarify applicant's definition is required.

## Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

<sup>1</sup> The limitation of a capacitor accommodated in a space defined by a thickness dimension of contact is determined to simply mean that the capacitor is equal or less than the height of the contact.

i

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 5. Claims 2 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lo et al. (U.S. 6,507,098) in combination with Distefano (U.S. 6,075,289) and Suzuki et al (US 5,532,910).
- 6. Lo (Fig. 1) discloses:
- (cl. 2. 23) a first semiconductor die (26) having a first active surface (i.e. top portion), said first active surface including at least one conductive bond pad (32); a second [alternate first for cl. 8] semiconductor die (40) defining a second active surface (i.e. bottom surface), said second active surface including at least one conductive bond pad (40a); a single intermediate substrate (12) comprising a network of conductive contacts (18) formed thereon, said substrate positioned between said first and second die, such that a first surface of said intermediate substrate (bottom) faces said first active surface and such that a second surface (top portion) of said intermediate substrate faces said second active surface (bottom portion), said intermediate substrate includes a passage (defined by item 24) and one of the first and second die active surface aligned with the passage (i.e. die, 26), a printed circuit board (100) positioned such that a first surface (i.e. top portion) of the board faces the intermediate substrate; a plurality of topographic contacts (48) extending from said intermediate substrate to said first surface of said board; wherein said first die is electrically connected to the intermediate substrate by a topographic contact (52) extending form said first active surface to said intermediate with said second die secured (34) to the second surface of the intermediate substrate.

Application/Control Number: 10/796,246

Art Unit: 2813

such that the conductive pads (32) of the second die is aligned with the passage and said second die is electrically connected to the intermediate substrate by at least one conductive line (38) extending form the bond pad of the second die through said passage and to contact first surface of the intermediate substrate;

Page 4

- (cont. cl. 23) with at least one die bond pad (32) is aligned with passage.
- 7. Lo does not discloses a cap including a heat sink coupled to at least one die major surface with a peripheral portion that engages a mounting zone defined by lateral dimensions of the intermediate substrate, or at least one decoupling capacitor conductively coupled to at least one of said first and second semiconductor dies or wherein a thickness dimension of said decoupling capacitor is accommodated in a space defined by a thickness dimension of one of said <u>first</u> semiconductor <u>die</u>, said <u>second semiconductor die</u>, or a topographic <u>contact</u>.
- 8. Distefano (Fig. 2) discloses a cap including a heat sink coupled to at least one die major surface (i.e. horizontal surface) with a peripheral portion that engages a mounting zone defined by lateral dimensions of the intermediate substrate.
- 9. It would have been obvious to one of ordinary skill in the art to incorporate a cap including a heat sink to package of Lo in order to provide thermally enhanced packages as taught by Distefano (Title).
- 10. Suzuki utilizes a decoupling capacitor accommodated in a space coupled to a die Suzuki (Col. 1, Lines 48).

Application/Control Number: 10/796,246

**Art Unit: 2813** 

11. It would have been obvious to one of ordinary skill in the art to incorporate a decoupling capacitor into the modified package including Lo in order to remove noise as taught by Suzuki (Col. 1, Lines 48).

Page 5

- 12. With respect to the placement of the capacitor, such that a thickness dimension of said decoupling capacitor accommodated in a space defined by a thickness dimension of one of said <u>first</u> semiconductor<sup>1</sup>, it would have been obvious, since the rearrangements of parts have been held unpatentable absent a showing of criticality or unexpected results. See e.g. In re Japikse, 181 F.2d 1019, 86 USPQ 70 (CCPA 1950) (claims held unpatentable because shifting the position of the starting switch would not have modified the operation of the device); see also *In re Kuhle*, 526 F.2d 553, 188 USPQ 7 (CCPA 1975) (the particular placement of a contact in a conductivity measuring device was held to be an obvious matter of design choice).
- 13. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lo et al. (U.S. 6,507,098), Distefano (U.S. 6,075,289) and Suzuki et al (US 5,532,910) as applied to claim 2 and further in combination with Corisis et al. (U.S. 2002/0135066).
- 14. Neither Lo, Distefano nor Suzuki appears to show its board is resident in a computer system, comprising a programmable controller, memory unit including board.
- 15. Corisis (Fig. 12) utilizes a board in resident in a computer system ("electronic system"; Par. 0024), comprising a programmable controller (132), memory unit including board (138).

**Art Unit: 2813** 

16. It would have been obvious to one of ordinary skill in the art to incorporate the board of the prior art in a computer system comprising a programmable controller, memory unit including board in order to form an electronic system as taught by Corisis (Par. 0024).

- 17. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lo et al. (U.S. 6,507,098) in combination with Distefano (U.S. 6,075,289), Suzuki et al (US 5,532,910) and Searls (U.S. 2004/0155335).
- 18. Lo (Fig. 1) discloses the elements stated in paragraph 6 of this office action<sup>2</sup>, but does not discloses a cap including a heat sink coupled to at least one die major surface with a peripheral portion that engages a mounting zone defined by lateral dimensions of the intermediate substrate, or at least one decoupling capacitor conductively coupled to at least one of said first and second semiconductor dies or wherein a thickness dimension of said decoupling capacitor is accommodated in a space defined by a thickness dimension of one of said <u>first</u> semiconductor <u>die</u>, said <u>second semiconductor die</u>, or a topographic <u>contact</u>, or connecting capacitor between high and low voltage inputs.
- 19. Distefano (Fig. 2) discloses a cap including a heat sink coupled to at least one die major surface (i.e. horizontal surface) with a peripheral portion that engages a mounting zone defined by lateral dimensions of the intermediate substrate.

<sup>2</sup> Since applicant can be their own lexicographer the first and second surfaces are interchanged.

**Art Unit: 2813** 

20. It would have been obvious to one of ordinary skill in the art to incorporate a cap including a heat sink to package of Lo in order to provide thermally enhanced packages as taught by Distefano (Title).

- 21. Suzuki utilizes a decoupling capacitor accommodated in a space coupled to a die Suzuki (Col. 1, Lines 48).
- 22. It would have been obvious to one of ordinary skill in the art to incorporate a decoupling capacitor into the modified package including Lo in order to remove noise as taught by Suzuki (Col. 1, Lines 48). Moreover with respect to placement being in a thickness dimensions, see paragraph 12 of this office action.
- 23. Neither Lo, Distefano or Suzuki disclose attaching a capacitor between high an low voltages.
- 24. However Searls (Fig. 1; Par. 0067) utilizes disclose attaching a capacitor (130) between high and low voltages (118,140).
- 25. It would have been obvious to one of ordinary skill in the art to connect the modified package of Lo to include attaching a capacitor between high an low voltages in order to improve device performance as taught by Searls (Abstract).

### Response to Arguments

26. Besides the rejection based on claim 8<sup>3</sup>, applicant's arguments filed April 11, 2006 have been fully considered, but they are not persuasive. The gravamen of applicant's argument is:

\_

<sup>&</sup>lt;sup>3</sup> New rejection provided to address limitation.

Art Unit: 2813

1) that examiner has provided no motivation for rearrangement of a capacitor quoting from *Ex parte Chicago Rawhide Manufacturing Company* that "[t]he mere fact that a worker in the art could rearrange the parts...not by itself sufficient to support a finding of obviousness...";

- 2) with respect to claim 23, the prior art does not disclose both dies spanning a passage.
- 27. In response to the first contention, while applicant is correct that the ability to rearrange is not sufficient is not sufficient to support obviousness; he has failed to recognize that this is based on situations where the movement creates functional changes.<sup>4</sup> This distinction is highlighted by the courts comments in dictum that "the relative movements oft the various elements ...would not be met...even if reconstructed as suggested by the ...examiner." *Ex parte Chicago Rawhide Manufacturing Compan*, 223, USPQ 351, 353 (Bd. Pat. App. & Inter. 1984).
- 28. In response to applicant's second argument, because applicant has not claimed that both dies span the passage, applicant's arguments are deemed moot. The claim only requires that one of said first and second dies to span passage. For the reasons stated above, applicant's arguments with respect to claims 2 and 23 are found unpersuasive.

<sup>4</sup> In addition, the board is administrative court and must follow the precedent set before it. See for e.g. *In re Japikse*, 181 F.2d 1019, 86 USPQ 70 (CCPA 1950). The interpretation suggested by applicant would be inconsistent with precedent.

Art Unit: 2813

#### Conclusion

29. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James M. Mitchell whose telephone number is (571) 272-1931. The examiner can normally be reached on M-F 8:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Whitehead Jr. can be reached on (571) 272-1702. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CARL WHITEHEAD, JR.
SUPERVISORY PATENT EXAMINE

**TECHNOLOGY CENTER 2800**